

大中型闭口卧式打包机

Large sized & Medium sized Semi Automatic Balers With Closed End

机器应用

专门用于塑料薄膜, 塑料瓶, 塑料筐, 废弃电脑壳, 废纸, 废旧纸板, 纸箱, 海绵等松散物的压缩打包

Usage

Specialized in recycling and compressing the loose materials like plastic film, PET bottles, plastic pallets, waste computer shell, waste paper, cartons, cardboards trims/scraps, foam etc.

Bale Size (Model XTY-1000WB11085)





Diagram (XTY-1000WB11085)



机器特点

- 闭口式结构，使得包打的更紧
- 高强度出包门，自动开关门，液压锁门，使操作更便捷
- 合理的双剪式刀片设计，提高了切纸效率，延长刀片的使用寿命
- 独特的防滑落设计，避免梯形包的出现，使包块更美观
- 主油缸采用炮耳支架及球端面设计，可消除作用在主轴上的扭矩，显著延长油封寿命
- 压车经过龙门铣床加工，确保运动时的精度
- 本机采用原装台湾进口液压阀，使机器更安全耐用
- 无需特殊的场地基础设施，使安装简单容易
- 机身采用“HARDOX”耐磨板

Features

- Heavy duty close-gate design for more tighter bales
- Hydraulic locked gate ensures more convenient operation
- Unique double-cutting design of cutters improves the cutting efficiency and lengthens the lifespan of the cutters
- Particular anti-slide design of the machine makes nicer bales
- Unique trunnion-mounted frame and ball-end joint design for the main cylinder avoid the torque on the rod, which lengthens the lifespan of the seals
- The press heads are specially processed by planomiller, ensures the precise running of the ram
- Use high quality hydraulic valves from Taiwan, ensures the stable running of the machine
- The heavy duty machine body makes sure only flat ground is required by the installation
- “HARDOX” in my body

参数 Specifications

卧式半自动闭口液压打包机 Semi-Auto Baler with Closed End

型号 Model	XTY-600WB10080	XTY-1000WB11085/ XTY-1000WB110110	XFB-100	XFB-160	XFB-200	XFB-250
压力 Pressure	60tons	100tons	100tons	160tons	200tons	250tons
主电机功率 Main Motor Power	18.5kw	30kw	22Kw	37kw	45kw	45kw
冷却方式 Cooling System	air cooler/water cooler	air cooler/water cooler	air cooler/water cooler	air cooler/water cooler	air cooler/water cooler	air cooler/water cooler
油箱尺寸 Oil Reservoir	380L	1460L	1500L	1800L	1800L	1800L
捆包道数 Number of Belting	4lines	4lines/5lines	5lines	5lines	5lines	5lines
加料口尺寸 (L × W) Feed Opening Size (L × W)	1200 × 980mm	1400 × 1050mm/ 2000 × 1050mm	2000 × 1050mm	2200 × 1050mm	2200 × 1050mm	2200 × 1050mm
压缩腔尺寸 (L × W × H) Chamber Size (L × W × H)	2400 × 980 × 780mm	3000 × 1050 × 830mm/ 3800 × 1050 × 1050mm	4000 × 1100 × 1250mm	4200 × 1100 × 1250mm	4200 × 1100 × 1250mm	4200 × 1100 × 1250mm
包块尺寸 Bale Size(L × W × H)	1000 × 1000 × 800mm	1300 × 1100 × 850mm/ 1600 × 1100 × 1100mm	1100 × 1300 × (200-1700)mm	1100 × 1250 × (200-1700)mm	1100 × 1250 × (200-1700)mm	1100 × 1250 × (200-1700)mm
打包密度 (OCC) Bale Density (OCC)	450-550kgs/m ³	500-600kgs/m ³	500-600kgs/m ³	530-630kgs/m ³	550-650kgs/m ³	580-680kgs/m ³
产量 Throughput	1-2tons/h	1.5-3tons/h 2-6tons/h	3-6tons/h	4-7tons/h	5-8tons/h	6-9tons/h
机器重量 Machine Weight	5.2tons	12tons/18tons	18tons	23tons	27tons	28tons
机器外观尺寸 Machine Overall Dimension	6100 × 1400 × 2000mm	7450 × 1600 × 2300mm 9400 × 1600 × 3500mm	9700 × 1820 × 2620mm	9950 × 1565 × 2900mm	9950 × 1565 × 2900mm	10500 × 1645 × 2900mm
送料装置 Feeding Device	cyclone/iron conveyor	iron conveyor	iron conveyor	iron conveyor	iron conveyor	iron conveyor

输送机 Conveyor

宽度 Feeding Width	1000mm	1300mm/1600mm	1600mm	1600mm	1800mm	2000mm
速度 Speed	18m/min	18m/min	18m/min	18m/min	18m/min	18m/min
功率 Power	4kw	5.5kw	5.5kw	5.5kw	7.5kw	7.5kw
重量 Weight	5tons	7tons	8tons	8tons	9tons	9.5tons
外观尺寸 Overall Dimension	9000 × 1300 × 3000mm	9700 × 1900 × 2900mm 10500 × 1950 × 3200mm	10000 × 2200 × 3200mm	10000 × 2200 × 3200mm	10000 × 2400 × 3200mm	10000 × 2600 × 3200mm

大中型闭口卧式打包机

Large sized & Medium sized Semi-Automatic Balers With Closed End

