

# 小型全自动打包机

## Small-Sized Full Automatic Balers

### 机器应用

专门用于废纸、废旧纸板, 纸箱厂边角料等松散物的压缩打包


### Usage

Specially used for recycling waste paper, cartons/cardboards trims/scraps etc. which are popular in packaging/ corrugation industrial, paper/ printing plants etc.



### 瓦楞纸箱行业整厂废纸处理系统示意图

The Diagram Of Waste Management Systems In Packaging Industry



## 参数 Specifications

型号 Model	XTY-200W5050-15	XTY-400W7575-20 XTY-600W7575L-25	XTY-400W7280-20	XTY-600W7585-25
压力 Pressure	20tons	40tons/60tons	40tons	60tons
主电机功率 Main Motor Power	11kw	15kw/18.5kw	15kw	18.5kw
冷却方式 Cooling System	air cooler / water cooler	air cooler / water cooler	air cooler / water cooler	air cooler / water cooler
循环时间 (空载) Cycle Time (unload)	14s	17s 24s	20s	16s
油箱尺寸 Oil Reservoir	280L	540L	540L	600L
捆包道数 Number of Belting	3lines	3lines/4lines	4lines	4lines
捆包铁丝规格 Wire Size	Ø 2.4-3.2	Ø 2.4-3.2	Ø 2.4-3.2	Ø 2.4-3.2
加料口尺寸 (L × W) Feed Opening Size (L × W)	650 × 480mm	1200 × 720mm 1600 × 720mm	1200 × 690mm	1200 × 720mm
包块尺寸 (L × W × H, L可调) Bale Size (L × W × H, L can be adjustable)	L × 500 × 500mm	L × 750 × 750mm	L × 720 × 800mm	L × 750 × 850mm
打包密度 (OCC) Bale Density (OCC)	350-450kgs/m <sup>3</sup>	350-450kgs/m <sup>3</sup>	350-450kgs/m <sup>3</sup>	380-480kgs/m <sup>3</sup>
产量 (30-60kgs/m <sup>3</sup> ) Throughput (30-60kgs/m <sup>3</sup> )	1-1.5tons/h	1.5-3tons/h 2-3.5tons/h	1.5-3tons/h	2.5-5tons/h
机器重量 Machine Weight	3tons	7tons 8tons	7tons	8tons
机器外观尺寸 Machine Overall Dimension	3600 × 2500 × 1650mm	5950 × 3200 × 2500mm 7000 × 3200 × 2500mm	5950 × 3200 × 2500mm	6100 × 3250 × 2500mm
送料装置 (可选) Feeding Device(optional)	Cyclone / conveyor	Cyclone / conveyor	Cyclone / conveyor	Cyclone / conveyor

### 分离器 Cyclone

处理风量 Air Volume	9000-15000m <sup>3</sup> /h	10000-20000m <sup>3</sup> /h	15000-30000m <sup>3</sup> /h	20000-35000m <sup>3</sup> /h
-----------------	-----------------------------	------------------------------	------------------------------	------------------------------

# 小型全自动打包机

## Small-Sized Full Automatic Balers

